

<b>Ambrosy AP, Fonarow GC, Butler J, et al.</b>	The Global Health and Economic Burden of Hospitalizations for Heart Failure
<b>Mills KT, Bundy JD, Kelly TN, et al.</b>	Global Disparities of hypertension Prevalence and control
<b>Forouzanfar MH, Liu P, Roth GA, et al.</b>	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015
<b>Dieleman JL, Baral R, Birger M, et al.</b>	US Spending on Personal Health Care and Public Health, 1996-2013
<b>Fragasso G.</b>	Editorial Commentary: Drug dosing optimization in heart failure: Need of a multidimensional approach (and skilled heart failure specialists)
<b>Adamson PB.</b>	Pathophysiology of the Transition From Chronic Compensated and Acute Decompensated Heart Failure: New Insights From Continuous Monitoring Devices
<b>Gheorghiade M, Albert NM, Curtis AB, et al.</b>	Medication Dosing in Outpatients With Heart Failure After Implementation of a Practice-Based Performance Improvement Intervention: Findings From IMPROVE HF
<b>Whelton PK, Carey RM, Aronow WS, et al.</b>	ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults
<b>Bundy JD, Mills KT, Chen J, Li C, Greenland P, He J.</b>	Estimating the Association of the 2017 and 2014 Hypertension Guidelines With Cardiovascular Events and Deaths in US Adults
<b>Olufade T, Zhou S, Anzalone D, et al.</b>	Initiation Patterns of Statins in the 2 Years After Release of the 2013 American College of Cardiology/American Heart Association (ACC/AHA) Cholesterol Management Guideline in a Large US Health Plan
<b>CHF</b>	
<b>Angermann CE, Sehner S, Faller H, et al.</b>	Longer-Term Effects of Remote Patient Management Following Hospital Discharge After Acute Systolic Heart Failure: The Randomized E-INH Trial. <i>JACC Heart Fail.</i> 2023;11(2):191-206.
<b>Mebazaa A, Davison B, Chioncel O, et al.</b>	Safety, tolerability and efficacy of up-titration of guideline-directed medical therapies for acute heart failure (STRONG-HF): a multinational, open-label, randomised, trial. <i>Lancet.</i> 2022;400(10367):1938-1952.
<b>Koehler F, Koehler K, Deckwart O, et al.</b>	Efficacy of telemedical interventional management in patients with heart failure (TIM-HF2): a randomised, controlled, parallel-group, unmasked trial. <i>Lancet.</i> 2018;392(10152):1047-1057.
<b>Bekfani T, Fudim M, Cleland JGF, et al.</b>	A current and future outlook on upcoming technologies in remote monitoring of patients with heart failure. <i>Eur J Heart Fail.</i> 2021;23(1):175-185
<b>Maeng DD, Starr AE, Tomcavage JF, Sciandra J, Salek D, Griffith D.</b>	Can telemonitoring reduce hospitalization and cost of care? A health plan's experience in managing patients with heart failure. <i>Popul Health Manag.</i> 2014;17(6):340-344.
<b>Desai AS, Maclean T, Blood AJ, et al.</b>	Remote Optimization of Guideline-Directed Medical Therapy in Patients With Heart Failure With Reduced Ejection Fraction [published correction appears in <i>JAMA Cardiol.</i> 2021 Apr 1;6(4):485]. <i>JAMA Cardiol.</i> 2020;5(12):1430-1434
<b>Böhm M, Drexler H, Oswald H, et al.</b>	Efficacy of telemedicine for the management of cardiovascular disease: a systematic review and meta-analysis. <i>Lancet Digit Health.</i> 2022;4(9):e676-e691.
<b>Hindricks G, Taborsky M, Glikson M, et al.</b>	Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. <i>Lancet.</i> 2014;384(9943):583-590.

<b>Cleland JG, Louis AA, Rigby AS, Janssens U, Balk AH;</b>	TEN-HMS Investigators. Noninvasive home telemonitoring for patients with heart failure at high risk of recurrent admission and death: the Trans-European Network-Home-Care Management System ( <b>TEN-HMS</b> ) study. <i>J Am Coll Cardiol.</i> 2005;45(10):1654-1664.
<b>Abraham WT, Stevenson LW, Bourge RC</b>	Sustained efficacy of pulmonary artery pressure to guide adjustment of chronic heart failure therapy: complete follow-up results from the <b>CHAMPION</b> randomised trial. <i>Lancet.</i> 2016;387(10017):453-461.
<b>Fonarow GC, Yancy CW, Hernandez AF, Peterson ED, Spertus JA, Heidenreich PA.</b>	Potential impact of optimal implementation of evidence-based heart failure therapies on mortality. <i>Am Heart J.</i> 2011;161(6):1024-30
<b>Greene SJ, Butler J, Albert NM, et al.</b>	Medical Therapy for Heart Failure With Reduced Ejection Fraction: The CHAMP-HF Registry. <i>J Am Coll Cardiol.</i> 2018;72(4):351-366
<b>Savarese G, Kishi T, Vardeny O, et al.</b>	Heart Failure Drug Treatment-Inertia, Titration, and Discontinuation: A Multinational Observational Study (EVOLUTION HF). <i>JACC Heart Fail.</i> 2023;11(1):1-14.
<b>Bottle A, Kim D, Aylin P, Cowie MR, Majeed A, Hayhoe B.</b>	Routes to diagnosis of heart failure: observational study using linked data in England. <i>Heart.</i> 2018;104(7):600-605.
<b>Lawson CA, Zaccardi F, Squire I, et al.</b>	20-year trends in cause-specific heart failure outcomes by sex, socioeconomic status, and place of diagnosis: a population-based study. <i>Lancet Public Health.</i> 2019;4(8):e406-e420.
<b>Sharma A, Verma S, Bhatt DL, et al.</b>	Optimizing Foundational Therapies in Patients With HFrEF: How Do We Translate These Findings Into Clinical Care?. <i>JACC Basic Transl Sci.</i> 2022;7(5):504-517.
<b>Ong MK, Romano PS, Edgington S, et al.</b>	Effectiveness of Remote Patient Monitoring After Discharge of Hospitalized Patients With Heart Failure: The Better Effectiveness After Transition -- Heart Failure ( <b>BEAT-HF</b> ) Randomized Clinical Trial [published correction appears in <i>JAMA Intern Med.</i> 2016 Apr;176(4):568] [published correction appears in <i>JAMA Intern Med.</i> 2016 Jun 1;176(6):871]. <i>JAMA Intern Med.</i>
<b>Zaman S, Zaman SS, Scholtes T, et al.</b>	The mortality risk of deferring optimal medical therapy in heart failure: a systematic comparison against norms for surgical consent and patient information leaflets. <i>Eur J Heart Fail.</i> 2017;19(11):1401-1409.
<b>Ledwidge MT, O'Connell E, Gallagher J, et al.</b>	Cost-effectiveness of natriuretic peptide-based screening and collaborative care: a report from the STOP-HF (St Vincent's Screening TO Prevent Heart Failure) study. <i>Eur J Heart Fail.</i> 2015;17(7):672-679.
<b>Morgan JM, Kitt S, Gill J, et al.</b>	Remote management of heart failure using implantable electronic devices. <i>Eur Heart J.</i> 2017;38(30):2352-2360.
<b>Rahimi K, Nazarzadeh M, Pinho-Gomes AC, et al.</b>	Home monitoring with technology-supported management in chronic heart failure: a randomised trial. <i>Heart.</i> 2020;106(20):1573-1578.
<b>Kotooka N, Kitakaze M, Nagashima K, et al.</b>	The first multicenter, randomized, controlled trial of home telemonitoring for Japanese patients with heart failure: home telemonitoring study for patients with heart failure (HOMES-HF). <i>Heart Vessels.</i> 2018;33(8):866-876.
<b>HTN</b>	
<b>Margolis KL, Asche SE, Bergdall AR, et al.</b>	Effect of home blood pressure telemonitoring and pharmacist management on blood pressure control: a cluster randomized clinical trial. <i>JAMA.</i> 2013;310(1):46-56.

<b>Blood AJ, Cannon CP, Gordon WJ, et al.</b>	Results of a Remotely Delivered Hypertension and Lipid Program in More Than 10 000 Patients Across a Diverse Health Care Network [published correction appears in JAMA Cardiol. 2022 Nov 30;:]. JAMA Cardiol. 2023;8(1):12-21.
<b>Fernando ME, Seng L, Drovandi A, Crowley BJ, Golledge J.</b>	Effectiveness of Remotely Delivered Interventions to Simultaneously Optimize Management of Hypertension, Hyperglycemia and Dyslipidemia in People With Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials [published correction appears in Front Endocrinol (Lausanne). 2022 May 09;13:916377]. Front Endocrinol
<b>Mills KT, Obst KM, Shen W, et al.</b>	Comparative Effectiveness of Implementation Strategies for Blood Pressure Control in Hypertensive Patients: A Systematic Review and Meta-analysis. Ann Intern Med. 2018;168(2):110-120
<b>Margolis KL, Asche SE, Dehmer SP, et al.</b>	Long-term Outcomes of the Effects of Home Blood Pressure Telemonitoring and Pharmacist Management on Blood Pressure Among Adults With Uncontrolled Hypertension: Follow-up of a Cluster Randomized Clinical Trial. JAMA Netw Open. 2018;1(5):e181617.
<b>Margolis KL, Dehmer SP, Sperl-Hillen J, et al.</b>	Cardiovascular Events and Costs With Home Blood Pressure Telemonitoring and Pharmacist Management for Uncontrolled Hypertension. Hypertension. 2020;76(4):1097-1103.
<b>T2DM</b>	
<b>Su D, Zhou J, Kelley MS, et al.</b>	Does telemedicine improve treatment outcomes for diabetes? A meta-analysis of results from 55 randomized controlled trials. Diabetes Res Clin Pract. 2016;116:136-148.
<b>Zhai YK, Zhu WJ, Cai YL, Sun DX, Zhao J.</b>	Clinical- and cost-effectiveness of telemedicine in type 2 diabetes mellitus: a systematic review and meta-analysis. Medicine (Baltimore). 2014;93(28):e312.
<b>Di Molfetta S, Patruno P, Cormio S, et al.</b>	A telemedicine-based approach with real-time transmission of blood glucose data improves metabolic control in insulin-treated diabetes: the DIAMONDS randomized clinical trial. J Endocrinol Invest. 2022;45(9):1663-1671.
<b>Fernando ME, Seng L, Drovandi A, Crowley BJ, Golledge J.</b>	Effectiveness of Remotely Delivered Interventions to Simultaneously Optimize Management of Hypertension, Hyperglycemia and Dyslipidemia in People With Diabetes: A Systematic Review and Meta-Analysis of Randomized Controlled Trials [published correction appears in Front Endocrinol (Lausanne). 2022 May 09;13:916377]. Front Endocrinol
<b>Yin W, Liu Y, Hu H, Sun J, Liu Y, Wang Z.</b>	Telemedicine management of type 2 diabetes mellitus in obese and overweight young and middle-aged patients during COVID-19 outbreak: A single-center, prospective, randomized control study. PLoS One. 2022;17(9):e0275251
<b>Lee PA, Greenfield G, Pappas Y.</b>	The impact of telehealth remote patient monitoring on glycemic control in type 2 diabetes: a systematic review and meta-analysis of systematic reviews of randomised controlled trials. BMC Health Serv Res. 2018;18(1):495. Published 2018 Jun 26.